

Lot #	Group #	T. Weight	Description	QTY	W	W	Wall	Length	WT/FT	TTL WT	MTR
859	G-I		SQ/RECT TUBE	1	5	5	1/2"	40	28.43	1137	
		7342		1	5	5	1/4"	40	15.62	625	
				1	4	4	1/4"	35	15.62	546	
				1	6	4	1/2"	16	28.43	455	
				1	3	3	1/4"	24	8.81	211	
				1	3	3	1/8"	31	4.76	148	
				1	3	3	3/16"	17	6.89	117	
				1	2	2	3/16"	40	6.89	276	
				1	4	4	3/8"	26	17.27	449	
				1	3	3	3/8"	35	13.74	480	
				1	4	2	5/16"	32	10.59	339	2291
				1	3	3	3/8"	35	13.74	481	
				1	4	4	3/8"	24	17.27	414	
				1	6	2	1/4"	30	12.21	366	
				1	4	2	1/8"	40	4.78	191	
				1	5	5	1/4"	30	15.62	468	
				1	5	5	1/4"	18	15.62	281	
				1	2	2	1/4"	40	5.41	216	
				1	3	2	1/4"	20	7.11	142	
860	G-J		SQ/RECT TUBE	1	7	7	1/2"	40	42.05	1682	
		2590		1	6	4	1/4"	40	15.62	624	
				1	2 1/2	2 1/2	1/4"	40	7.11	284	
861	G-K		SQ/RECT TUBE	1	10	10	1/4"	48	32.63	1566	
		4181		1	10	10	3/8"	20	47.9	958	
				1	10	10	1/4"	13'6"	32.63	440	
				1	12	12	1/2"	16	76.07	1217	

Lot #	Group #	T. Weight	Description	QTY	W	W	Wall	Length	WT/FT	TTL WT	MTR
868	S-6		CHANNEL	9	12			60	20.7	11178	2820
		13400		1	12			42	20.7	869	2820
				1	12			40	20.7	828	
				1	12			21	25	525	3205
869	S-7		CHANNEL	1	12			18	30	540	
		6466		1	12			25	30	750	
				1	10			40	25	920	2921
				1	10			18	25	414	2787
				2	10			19	15.3	581	3206
				1	10			20	23	460	
				1	10			40	25	1000	3244
				1	10			40	25	1000	3243
				1	10			40	20	800	
870	S-8		CHANNEL	4	10			30	20	2400	3191
	4049	4049		1	10			32	15.3	489	3212
				2	10			20	20	800	3140
				1	10			18	20	360	3140
871	S-9		CHANNEL	1	7			16	9.8	156	3072
		4060		1	8			15	13.75	206	2975
				1	8			15	13.75	206	
				1	8			20	13.75	275	
				4	8			40	13.75	2200	3084
				2	8			20	13.75	550	
				1	8			34	13.75	467	

Lot #	Group #	T. Weight	Description	QTY	W	W	Wall	Length	WT/FT	TTL WT	MTR
872	S-10		CHANNEL	6	6			40	13	3120	
		8264		2	6			40	13	1040	2803
				1	6			40	8.2	328	
				1	6			60	8.2	492	
				1	6			40	8.2	328	2933
				3	6			40	8.2	984	
				1	6			40	13	520	
				1	6			40	8.2	328	
				1	6			36	13	468	
				2	6			40	8.2	656	
873	S-11		CHANNEL	1	6			20	10.5	210	3229
		1240		5	6			20	8.2	820	
				1	7			20	10.5	210	
874	S-12		CHANNEL	2	5			40	6.7	536	
		3272		5	4			40	5.4	1080	3012
				5	4			40	5.4	1080	2317
				1	5			26	6.7	174	
				3	5			20	6.7	402	
875	S-13		WF/I-BEAM	1	8			55	30	1650	
		3054		1	8			54	26	1404	

Lot #	Group #	T. Weight	Description	QTY	W	W	Wall	Length	WT/FT	TTL WT	MTR
876	S-14		WF/I-BEAM	1	10			20	33	660	
		7656		1	10			20	26	520	
				1	8			20	18	360	
				1	8			20	13	260	
				2	8			20	13	520	
				2	10			20	16	740	
				1	8			12	24	288	
				1	10			12	24	288	
				1	10			12	24	288	2784
				1	8			18	24	432	
				1	10			20	26	520	
				1	10			16	26	416	
				2	8			20	24	960	
				1	10			18	30	540	3557
				2	10			18	24	864	
877	S-15		WF/I-BEAM	1	10			26	68	1768	
		11948		1	10			18	101	1818	
				1	10			11	56	616	
				1	12			12	58	696	
				1	12			14	53	742	
				1	12			15	79	1185	
				1	12			25	65	1625	
				1	12			33	106	3498	
878	S-16		WF/I-BEAM	1	12			17	40	680	
		10820		1	12			28	30	840	
				1	12			16	30	480	
				2	12			55	40	4400	
				1	12			40	25	1000	
				1	16			60	57	3420	

Lot #	Group #	T. Weight	Description	QTY	W	W	Wall	Length	WT/FT	TTL WT	MTR
879	S-17		WF/I-BEAM	1	18			50	55	2750	
		16180		1	18			16	44	704	
				1	16			20	100	2000	
				1	18			16	41	656	
				1	18			34	35	1190	
				1	18			40	40	1600	
				1	18			16	55	880	
				1	18			30	40	1200	
				1	14			16	40	640	
				1	18			24	40	960	
				3	18			30	40	3600	
880	S-18		WF/I-BEAM	1	14			20	99	1980	
		24622		1	18			23	119	2737	
				1	18			24	119	2856	
				1	21			20	147	2940	
				1	21			22	48	1056	
				2	21			22	68	2992	
				1	24			17	146	2482	
				1	21			25	147	3675	
				1	21			32	122	3904	
881	S-19		LOT OF 12", 10" 8" & 7" CHANNEL APPROX 250'								
882	S-20		CHANNEL	2	12			20	25	1000	
		4772		2	15			26	33.9	1762	
				2	15			30	33.5	2010	

Lot #	Group #	T. Weight	Description	QTY	W	W	Wall	Length	WT/FT	TTL WT	MTR
883	S-21		ANGLE	1	4	3	3/8"	19	8.5	161	
		3983		1	4	4	3/8"	17	9.8	166	
				1	4	4	5/8"	18	15.7	282	
				1	5	5	5/16"	23	10.3	236	
				1	6	6	5/13"	20	12.4	248	
				1	5	5	3/8"	15	12.3	184	
				1	5	3.5	1/4"	16	7	112	
				1	6	6	1/2"	14	19.6	274	
				1	6	4	3/8"	20	14.9	298	
				1	3	3	3/8"	20	7.2	144	
				1	3-1/2"	3-1/2"	3/8"	20	8.5	170	
				1	6	3-1/2"	1/2"	18	15.3	275	
				1	8	4	1/2"	18	19.6	352	
				1	3	2	3/8"	28	5.9	165	
				1	4	3	5/16"	25	7.2	180	
				1	5	3-1/2"	3/8"	20	10.4	208	
				1	5	5	1/2"	19	16.2	307	
				1	6	4	3/8"	18	12.3	221	
884	S-22		ANGLE	2	6	6	1/2"	11	19.6	430	
		4565		2	6	6	3/8"	12	14.9	356	
				1	5	3	3/8"	12	9.8	117	
				1	6	4	3/8"	16	12.3	196	
				1	3	3	3/8"	12	7.2	86	
				1	4	4	1/4"	18	6.6	118	
				2	8	8	3/4"	16	38.9	1244	
				1	8	4	1/2"	15	19.6	294	
				4	6	4	1/2"	20	16.2	1296	
				1	3	3	3/8"	16	7.2	115	
				2	5	3	3/8"	16	9.8	313	

Lot #	Group #	T. Weight	Description	QTY	W	W	Wall	Length	WT/FT	TTL WT	MTR
885	S-23		ANGLE	1	6	4	3/8"	16	12.3	196	
		2576		1	6	6	1/2"	16	19.6	313	
				1	8	4	1/2"	20	19.6	392	
				1	5	5	3/8"	20	12.3	246	
				1	6	6	3/4"	15	28.7	430	
				1	6	4	1/2"	16	16.2	259	
				1	5	3-12"	3/8"	20	10.4	208	
				2	4	4	1/4"	20	6.6	264	
				1	4	4	1/2"	12	12.8	153	
				3	3	3	3/8"	16	7.2	115	
886	S-24		ANGLE	1	5	3-1/2"	3/8"	40	10.4	416	
		3852		4	5	3	1/4"	40	6.6	1056	
				1	3	3	3/8"	40	7.2	288	
				2	7	4	3/8"	40	13.6	1088	
				1	3	3	5/16"	40	6.1	244	
				2	3	2-1/2"	3/8"	40	6.6	528	
				1	3-1/2"	3-1/2"	1/4"	40	5.8	232	
887	S-25		WIDE FLANGE	2	21			6.5	101	1313	
		2474		1	28			9	129	1161	
888	S-26		RAIL	10	3-1/2"			20	40	8000	
		9000		1	5-1/2"			20	50	1000	

Lot #	Group #	T. Weight	Description	QTY	W	W	Wall	Length	WT/FT	TTL WT	MTR
889	S-27	28433	ANGLE	12				10	9.8	1176	
				12				10	9.8	1176	
				12				10	9.8	1176	
				12				10	9.8	1176	
				24				10	9.8	2342	
				17				14	12.3	2927	
				2				8	12.3	196	
				1				100	19.6	1960	
				1				16	12.8	204	
				1				12	26.4	316	
				1				20	19.6	392	
				10				8	12.3	984	
				2				12	11.1	492	
				35				12	9.8	4116	
				10				50	19.6	9800	
890	S-28	36260	CHANNEL								
891	S-29	21937	SQ/RECT TUBE								
892	S-30	28860	I-BEAM/WF								
893	S-31	27565	I-BEAM/WF								
894	S-32	34240	I-BEAM/WF								
895	S-33	1296	CHANNEL	12	4			20	5.4		
896	S-34	4800	CHANNEL	10	8			20	18.75	3750	
				1	10			15	20	300	
				2	10			20	18.75	750	
897	S-35	1473	CHANNEL	25	3			11.5	4.1	1178	
				1				72	4.1	295	

Lot #	Group #	T. Weight	Description	QTY	W	W	Wall	Length	WT/FT	TTL WT	MTR
898	S-36	3275	ANGLE	1	5	5	7/16"	20	14.3	286	
				2	3.5	5	7/16"	20	12	480	
				1	3	5	0.5	20	12.8	256	
				3	3	5	0.375	20	9.8	588	
				1	3	5	0.375	17	9.8	166	
				9	4	4	0.375	17	9.8	1499	
899	S-37	4313	ANGLE	27 PCS							
900	S-38	7849	FLAT BAR	120 PCS							
901	S-39	8369	FLAT BAR	98 PCS							
902	S-40	2321	SOLID BAR & TUBE								
903	S-41	6455	SOLID RND								
904	S-42		STAINLESS								
905	S-43		MISC								
			PIPE								
906	P-1		PIPE	1	24		0.5	40		1648	
				1	24		0.5	19'6"		1659	
				1	24		0.5	5		1647	
				1	24		0.5	9'6"			
				1	24		0.5	20			
				1	24		0.5	6			

Lot #	Group #	T. Weight	Description	QTY	W	W	Wall	Length	WT/FT	TTL WT	MTR
907	P-2		PIPE	1	30		0.5	12			
				1	28		0.5	11'6"			
				1	26		0.5	19'6"			
				1	26		0.5	12			
				1	26		0.5	6'			
908	P-3		PIPE	10 PCS	6			TOTAL 65			
				1	5	SCH 80		14		1726	
				20 PCS	4			TOTAL 160			
909	P-4		PIPE	1	18		.5 WALL	18			
				1	16		.5 WALL	11			
				1	16		.5 WALL	9'6"			
				1	12		.375 WALL	12			
				1	12		.375 WALL	7'6"			
				1	12		.375 WALL	5'6"			
				1	10.75		.50 WALL	10'6"			
				1	10.75		.50 WALL	6'6"			
				1	12.75		.375 WALL	6		1643	
				8	8		.50 WALL	5			
				1	8		.50 WALL	10			
910	P-5		PIPE	1	20		.50 WALL	11'6"			
				1	18		A106	12			
				1	16		A53	12		1590	
911	P-6		PIPE	1	12	A106	SEAMLESS	40			1666
				1	12		.50 WALL	20			
				1	12		SCH 40	16		1721	
				1	10		A106	16			
				1	8		SCH 80	12		1454	
				1	8		SCH 80	12'6"			

Lot #	Group #	T. Weight	Description	QTY	W	W	Wall	Length	WT/FT	TTL WT	MTR
912	P-7		VARIOUS PIPE	LOT	5		VARIOUS	4-17'			
								2-21'			
								2-10'			
								1-15'			
								6-16'			
				1	4		SCH 40	21			1738
913	A-1		ANGLE	2	6	6	3/8"	40	14.9	1192	
		1976		1	6	6	1/2"	40	19.6	784	
914	A-2		ANGLE	11	5	3	1/4"	40	6.6	2904	
		2904									
915	A-3		ANGLE	8	3-1/2"	3-1/2"	1/4"	40	5.8	1856	5099
		1856									
916	A-4		ANGLE	2	3-1/2"	2-1/2"	1/4"	40	4.9	392	
		3296		11	5	3	1/4"	40	6.6	2904	
917	A-5		ANGLE	2	3-1/2"	3-1/2"	1/2"	40	11.1	888	
		3836		2	4	3	5/16"	40	7.2	576	
				3	3	3	5/16"	40	6.1	732	
				8	3	2	1/4"	40	4.1	1312	
				2	2-1/2"	2-1/2"	1/4"	40	4.1	328	
918	A-6		ANGLE	1	6	4	3/8"	36	12.3	442	
		3318		2	6	3-1/2"	3/8"	40	11.7	936	
				1	6	4	1/2"	40	16.2	648	
				1	5	3-1/2"	1/4"	40	7	280	
				1	5	3	5/16"	40	8.2	328	
				4	8	4	1/2"	20	19.6	392	
				1	8	4	3/8"	20	14.6	292	

Lot #	Group #	T. Weight	Description	QTY	W	W	Wall	Length	WT/FT	TTL WT	MTR
919	A-7		ANGLE	2	3-1/2"	2-1/2"	3/8"	40	7.2	576	
		3643		4	3	3	1/2"	40	9.4	1504	
				1	6	3-1/2"	3/8"	20	11.7	234	
				2	5	5	3/8"	29	12.3	713	
				1	5	3	1/4"	34	6.6	224	
				1	5	3	3/8"	40	9.8	392	
920	A-8		ANGLE	2	4	3	3/8"	40	8.5	680	
		2128		1	3-1/2"	2-1/2"	3/8"	40	7.2	288	
				1	3-1/2"	3-1/2"	3/8"	40	8.5	340	
				2	3	3	3/8"	40	7.2	576	
				1	3	3	5/16"	40	6.1	244	
921	A-9		ANGLE	2	3	3	1/4"	20	4.9	196	
		2249		2	3-1/2"	2-1/2"	1/4"	25	4.9	245	
				1	3	3	5/16"	16	6.1	97	
				2	3	3	5/16"	20	6.1	244	
				2	3-1/2"	2-1/2"	1/4"	20	4.9	196	
				1	4	4	1/4"	20	6.6	132	
				3	3	3	3/8"	20	7.2	432	
				1	5	5	1/2"	15	16.2	243	
				3	3-1/2"	2-1/2"	1/4"	20	4.9	294	
				1	3-1/2"	3-1/2"	3/8"	20	8.5	170	
922	PL-1	9713	PLATE	1	10	16'9"	1-3/8"		56.15		
				1	1	5'8"	1-3/8"				
923	PL-2	8593	PLATE		8'	11'	1-5/8"		66.36		
					11"	29"					
					6'	4'					
					5'	3'					

Lot #	Group #	T. Weight	Description	QTY	W	W	Wall	Length	WT/FT	TTL WT	MTR
933	PL-12	4573	PLATE	3 PCS			7/8"				
			50W								
934	PL-13	6738	PLATE	2 PCS			3/4"				
935	PL-14	9325	PLATE	8 PCS			7/8"				
936	PL-15	9575	PLATE	6 PCS			3/4"				
			AR								
937	PL-16	10601	PLATE	5 PCS			3/4"				
			AR								
938	PL-17	4798	PLATE	6 PCS			1/2"				
			AR								
939	PL-18	7356	PLATE	6			3/4"				
			HARDOX	1			5/8"				
			WEAR	1			1/2"				
940	PL-19	3991	PLATE				1/4 & 5/16"				
941	PL-20	6755	PLATE				5/8 & 3/4"				
942	PL-21	3960	PLATE				7/8"				
943	PL-22	2021	PLATE				3/16 & 3/8"				
944	PL-23	2591	PLATE				3/16"				
945	PL-24	6338	PLATE				1/4 & 5/16"				
946	PL-25	3855	PLATE				5/16"				
947	PL-26	2972	PLATE	10 PCS			3/16"				

